

PRODUCTDATA SHEET

FOR **VERSATILE**





VERSATILE

REFERENCE	WIDTH	LENGHT	TREAD	РІТСН	TREAD HEIGHT	TREAD WIDTH	GUIDE LUGS	PLY	THICKNESS
30"x6"x42	30"	252"	84	6"	2"	1.7"	42	5	1.5"

The agricultural tracks manufactured for VERSATILE machines are characterised by their positive drive and delta mounting. Offering perfect traction, these systems require high production precision, with very low dimensional tolerances.

To withstand the power of VERSATILE tractors, our treads and drive lugs are vulcanised simultaneously with the core of the track, giving them greater resistance to tearing.

Moreover, we offer specific original widths that comply with current road standards. Thanks to their strength, reliability and compliance with original dimensions, Vulcan Agri tracks are perfectly suited to VERSATILE machines.


























Strong Cables

The track tensile strength is ensured by a full layer of 5.4mm, seamless tension cables. In addition, the track's core is reinforced with as much as four steel cable layers placed at special angles to maximise the core stiffness, making our tracks the best choice for durability and flexibility.





One Step Vulcan

Vulcanisation in one step of track core, guide lugs and tread patterns reinforce solidity and prevent tread pull off. All track parts are strongly vulcanised and bonded together. Low wearability rubber compound offers extended lifetime.

Engineered Quality

New self-cleaning tread bars improve traction whilst offering no vibrations. The tracks are designed to last and come with up to 2 years warranty on Friction and Positive Drive Machines.



Trusted Dealer

Leach Lewis supply the industry only with high quality products at extremely competitive prices. We have a long tradition of servicing and maintaining high levels of customer satisfaction.

Range of tracks from **18"** to **36"** wide





02 www.vulcan-agri.eu www.www.vulcan-agri.eu 03







LEACH LEWIS RUBBER TRACKS LIMITED
Units 4-5 Hikers Way, Crendon Industrial Park, Long Crendon HP18 9RW
www.llrt.co.uk